

RING-ROC GMT ST3

This machine has been designed and manufactured with **three new and modern drafting lines**, with an optimal geometry for the fibres insertion.



Intended for the production of linear fancy yarn and/or slab slab of medium-coarse count, in a different combinations of effects and colours and any kind and type.

1

Three independent drafting lines.

2

Medium-coarse linear/slub yarns.

3

Suitable for the production of fabrics for:

- Furniture
- Clothing
- Knitting

4

Hollow spindle + independent false torsion spindle.

5

Collection on cones (6" or 8") or on tube.

Through PC Touch Screen you can enter and save all the work data and technical parameters of the final yarn and control the machine's functionalities.

The PLC manages the precise execution of the data, ensuring the exact speed of the axes in a millesimal measure with exceptional results on the quality of the effects of the final product. Extremely easy to enter and edit general and specific data (up to 1000 steps) in a step-by-step or quick mode. Diagnostics for the detection of the state of the machine.



RING-ROC GMT ST3

This machine has been designed and manufactured with **three new and modern drafting lines**, with an optimal geometry for the fibres insertion.



Intended for the production of linear fancy yarn and/or slab slab of medium-coarse count, in a different combinations of effects and colours and any kind and type.

TECHNICAL DATA

Gauge [mm]	300 mm
Spindles/section	4
Ring diameter [mm]	115 mm
Max draft [times]	999 times
Tube height [mm]	450 mm
Max spindles speed [rpm]	9.300 rpm
Max hollow spindles speed [rpm]	13.000 rpm
Max feeding slivers weight [g]	8 g
Fibre length range [mm]	40-200 mm
Collection cones	6"/8"
Installed power [Kw]	55/75 Kw
Absorbed power	50-60%

WE SHARE THE SAME PASSION.

www.gigliottim.it

